Government of Odisha

Department of Water Resources

OFFICE ORDER

Bhubaneswar, dated the

No.WR-FEI-HR-0006-2019 31519 WR, Sri Bijaya Kumar Samal, Chief Engineer, Drainage, Cuttack is allowed to remain in additional charge of Director, WALMI, Cuttack in addition to his own duties with immediate effect until Sri Debidutta Ramani Ranjan Pattnaik, Chief Engineer, HH, GIS & CEM, BBSR returns from leave.

By orders of D.C-cum-Addl. Chief Secretary,

Memo No. 31790 MR.

Date 13/11/2023 Additional Secretary

Copy forwarded to the A.G. (A&E), Odisha, Bhubaneswar/ D.A.G. (Works), Puri / Sr. P.S. to D.C-cum-Addl. Chief Secretary to Govt./ All E.I.C-cum-Special Secretary to Govt., DoWR/ Engineer-in-Chief, Water Resources, Odisha, BBSR / Engineer-in-Chief, Planning & Design / All Chief Engineers of DoWR / Director, WALMI, Cuttack / Chief Engineer, Drainage, Cuttack / All CCEs of DoWR / Sri Bijaya Kumar Samal, Chief Engineer, Drainage, Cuttack / Sri Debidutta Ramani Ranjan Pattnaik, Chief Engineer, HH, GIS & CEM, BBSR / All ACEs of DoWR / Officers concerned for information and necessary action.

Additional Secretary to Government

12/1. 03

37/11

B) (1) 2>

